



# **PRODUCTS**

Personal Protective Equipment













PCL-1000 PCL-1500 PCL-2000

**PCL-1000** 

Sewn from premium-lightweight and easy-to-wear NON-WOVEN fabric Made from soft, durable, breathable and water-resistant fabric. To increase protection against less hazardous chemicals and dust; It has two layers of laminated fabric around it, a hood and a zipper that can be covered. Flexible headgear to fit easily over the face mask. Elasticated ankle and foot seams to restrict entry and exit and protect against fluid. Elasticated waist for maximum comfort and protection. Border stitching technology to maximize protection and minimize pilling and wire shedding.

These overalls; It is used to protect against less hazardous substances and to prevent pollution. It is produced to protect against low-hazardous liquid wastes that may splash on the person and simple toxic substances in the air. The product is category III and complies with standards for protective clothing against dust particles and certain liquid chemical splash-

PCL-1500

Sewn from premium-lightweight and easy-to-wear NON-WOVEN fabric Made from soft, durable, breathable and water-resistant fabric. To increase protection against less hazardous chemicals and dust; It has two layers of laminated fabric around it, a hood and a zipper that can be covered. Flexible headgear to fit easily over the face mask. Elasticated ankle and foot seams to restrict entry and exit and protect against fluid. Elasticated waist for maximum comfort and protection. Border stitching technology to maximize protection and minimize pilling and wire shedding.

These overalls; It is used to protect against less hazardous substances and to prevent pollution. It is produced to protect against low-hazardous liquid wastes that may splash on the person and simple toxic substances in the air. The product is category III and complies with standards for protective clothing against dust particles and certain liquid chemical splash-

PCL-2000

Sewn from premium-lightweight and easy-to-wear NON-WOVEN fabric Made from soft, durable, breathable and water-resistant fabric. To increase protection against less hazardous chemicals and dust; It has two layers of laminated fabric around it, a hood and a zipper that can be covered. Flexible headgear to fit easily over the face mask. Elasticated ankle and foot seams to restrict entry and exit and protect against fluid. Elasticated waist for maximum comfort and protection. Border stitching technology to maximize protection and minimize pilling and wire shedding.

These overalls; It is used to protect against less hazardous substances and to prevent pollution. It is produced to protect against low-hazardous liquid wastes that may splash on the person and simple toxic substances in the air. The product is category III and complies with standards for protective clothing against dust particles and certain liquid chemical splashes.

#### **Product Codes**

PCL-1000 40Gr PCL-1000 50Gr

PCL-1000 60Gr PCL-1000 70Gr

SIZE OPTIONS

S-M-L-XL







PLG-3000 PLG-1500 EYC-1000	PLG-3000	PLG-1500	EYC-1000
----------------------------	----------	----------	----------

#### **PLG-3000**

A curved sealed frame that fits the face provides additional protection.

It can be worn over prescription glasses.

Compatible with half-face mask reagulators for high protection.

In autoclave devices, it is suitable for sterilization with pressurized water vapor at a temperature of 121 degrees Celsius for 15-20 minutes.

It provides high protection against chemical, thermal and mechanical risk factors.

Anti-scratch and anti-fog coating (Anti-Fog) can be applied to the lens according to your request.

It is comfortable to use because it is tired. In addition, there is an adjustment buckle to provide complete ergonomics.

It is sterilized and packaged.

#### Weight

119 gr

#### **PLG-1500**

Its panoramic sealed frame provides additional protection.

It can be worn over prescription glasses.

Compatible with half-face mask reagulators for high protection.

In autoclave devices, it is suitable for sterilization with pressurized water vapor at a temperature of 121 degrees Celsius for 15-20 minutes.

It provides high protection against chemical, thermal and mechanical risk factors.

Anti-scratch and anti-fog coating (Anti-Fog) can be applied to the lens according to your request.

It is comfortable to use because it is tired.

It is sterilized and packaged.

#### Weight

81 gr

#### **EYC-1000**

High quality Polycarbonate safety goggles.

Sporty sleek design.

Silicone nose pad.

In autoclave devices, it is suitable for sterilization with pressurized water vapor at a temperature of 121 degrees Celsius for 15-20 minutes.

It provides high protection against chemical, thermal and mechanical risk factors.

Anti-scratch and anti-fog coating (Anti-Fog) can be applied to the lens according to your request.

You can choose the body color you want for your high-volume purchases.

It is sterilized and packaged.

#### Weight

23 gr







EYC-2000 PLH-1000R PLG-1000

High quality Polycarbonate safety goggles.

Sporty sleek design.

In autoclave devices, it is suitable for sterilization with pressurized water vapor at a temperature of 121 degrees Celsius for 15-20 minutes.

It provides high protection against chemical, thermal and mechanical risk factors.

Anti-scratch and anti-fog coating (Anti-Fog) can be applied to the lens according to your request.

You can choose the body color you want for your high-volume purchases.

It is sterilized and packaged.

#### Weight

30 gr

#### **UV** radiation

Filters against dangerous rays of Ultraviolet radiation.

#### **Chemical risks**

Provides protection against chemical liquid droplets and splashes, large and fine dust particles.

Thermal risks: It provides safety against liquid chemical splashes, infectious diseases, molten metals and intense radiation emission.

Mechanical risks: Tested and approved with 45 meters/second force, 6mm Steel Ball.

Sufficient quantity to meet the usage and replacement needs of the team, wearing these safety helmets will keep you safer on the job effectively, idea for work at height, rescue, industry, and many situations where hard hats safety is recommended

#### **Reliable and High Quality**

This suspension hard hat are made of tough and durable ABS material, keeping your head safe on the job, this construction hard hat will not be deformed or faded even after prolonged use; These safety hard hats also feature cooling vents for nice ventilation, which will provide a better wearing experience while ensuring safety

#### **Comfortable for Wearing**

This ratchet hard hat has vents and cotton brow pad, safe and comfortable to wear, this ratchet suspension allows for fast and easy size adjustments with cushion pillows and nape cushion for a snug and comfortable fit, with flexible suspension for a customized fit, increasing comfort and protection on your job

Areas of Use

**Yellow:** Laborers

**Red:** Fire fighters

**Blue:** Electricians, Carpenters and other technical operators apart from civil workers

**Orange:** Traffic marshalls, slingers / signalers and lifting operatives wear orange hard hats.

**White:** Managers, Engineers, Supervisors and Foremen

High quality Polycarbonate safety goggles.

Sporty sleek design.
In autoclave devices, it is suitable for sterilization with pressurized water vapor at a temperature of 121degrees Celsius for 15-20 minutes. It provides high protection against chemical, thermal and mechanical risk factors.

Anti-Fog coating can be applied to the lens as per your request

#### **UV** radiation

Filters against dangerous rays of Ultraviolet radiation.

#### **Chemical risks**

Provides protection against chemical liquid droplets and splashes, large and fine dust particles.

#### Thermal risks

It provides safety against liquid chemical splashes, infectious diseases, molten metals and intense radiation emission.

#### **Mechanical risks**

Tested and approved with 45 meters/second force, 6mm Steel Ball.

Wrap-around design, ear-mounted design and color options were available







FGL-1000 PGL-2000 PGL-1000

#### **FGL-1000**

Touchscreen Working Gloves with Grip

#### **COMFORTABLE WORK GLOVES**

These Kebada mens work gloves are lightweight, flexible, dexterous and comfortable, excellent breathability keeps hands cooler, dryer and more productive, Thin feature enhances dexterity radically, snug fit to all fingers for men and womens general duty outdoor work.

#### **WORK GLOVES WITH GRIP**

These delicate designed womens work gloves with grip provide abrasion protection across the palm and fingers, PU coating maintains grip in dry, wet and light oily conditions. offer you extra ability to hold objects firmly in hand, Great for construction workers. Firm grip from the coating makes them perfect box handler gloves, lightweight and breathable feature allows them to be used as gardening gloves for men, perfect for house around yard work.

#### **TOUCHSCREEN COMPATIBLE**

work gloves with touchscreen fingers are very convenient during your house around gardening yard work use or outdoor use, no need to take off these touchscreen work gloves while operating touchscreen equipments, significantly enhance your productivity in work. These mens work gloves for outside work with phone perfectly, no interruption when answering a phone during package handling or moving boxes with these PU coated grip gloves.

#### **PGL-2000**

Highest Level Cut Resistant Gloves

HPPE, Polyester, Spandex, Metal wire

These cut resistant work gloves they can withstand over 6,000 grams of penetrating weight of sharp blades, these gloves provide you with great protection when you are dealing with sharp objects such as metal, razor blades, glass, etc. Using them is the same as owning ten pairs of regular gloves.

#### THUMB CROTCH REINFORCEMENT

Each pair of heavy duty work gloves is reinforced at the crotch of the thumb for enhanced abrasion resistance and protection. These is work gloves have a nitrile brushed coating on the surface to increase water and oil resistance, providing excellent grip even in wet, oily environments to ensure safer work.

#### **COMFORTABLE AND FLEXIBLE**

These -gloves are made with 13-gauge knit technology, which makes the gloves more protective and lighter and more comfortable, providing quality.

#### **COMFORTABLE AND BREATHABLE**

13 Guage Premium red nylon seamless knitted shell provides Bare Hand Sensitivity and Great Breathability! Light Weight with Good Grip! Thin enough to feel everything!

#### **SUPERIOR PROTECTION**

Ultra-Thin Polyurethane coating offers excellent abrasion resistance and superior GRIP performance!

#### **MORE**

Knitted Wrist prevent dirt and debris from entering the gloves. CE CERTIFICATED EN388:2003 4131

#### **MULTIPLE APPLICATIONS**

Ideal for general light to medium duty tasks in dry and slightly wet/oily conditions, such as general purpose, DIY, Assembly, Auto Repairing, Warehouse, Home improvement, Yard, Gardening, Cleaning. Not Recommended for heavy duty work and any heavy oily/wet condi-

work and any heavy oily/wet conditions.

Recommend washing gloves in tempered water not exceeding 104oF or 40oC.

A mild non-ionic laundry soap or detergent should be used. Wash in a 5-10 minute cycle time.

Rinse in cold water.
Tumble dry at temperature not exceeding 140oF or 60oC







FGL-1500 AVG-1000 PLS-2000

#### **FGL-1500**

The back of the glove is comprised of premium aramid combinations that are characterized by their extremely high impact strength, flame and heat resistance, and resilience to chemicals.

A para-aramid non-woven material was applied to the rear for extra heat and cut protection.

The glove waterproof and breathable.

The lining is made of a tear- and cut-proof, and flame and heat resistant.

#### **Description**

Specially designed to reduce the effects of impact and vibration. Excellent levels of comfort and dexterity when using powertools, jack hammers, concrete breakers etc.

#### Details

Specially designed to reduce the effects of vibration

For use with jack hammers, concrete breakers etc

10 gauge liner for dexterity

#### Quality

50% Cotton, 45% Nylon, 5% Rubber Chloroprene

#### **Certifications**

AS/NZS 2161.2

AS/NZS 2161.3

EN 388:2016 - (4.1.4.2.X)

EN 10819 ((TRm = 0.865 TRh = 0.598)

EN 420

### Description

Suede Leather

LINING

Air – Lining Textile

#### **REMOVABLE INSOLE**

Soft - Walk

SOLE

PU/PU Dual-Density

**TOE CAP** 

Steel toe cap

**MIDSOLE** 

Steel Plate

NORM

S1 / S1P SR





PLS-1500 MYC-1000

**UPPER** 

Suede Leather

**LINING** 

Air – Lining Textile

**REMOVABLE INSOLE** 

Soft – Walk

SOLE

PU Single Density

**TOE CAP** 

Steel toe cap

**MIDSOLE** 

Steel Plate

NORM

S1/S1PSR

**UPPER** 

Suede Leather

LINING

3D Air-Lining

**REMOVABLE INSOLE** 

Soft – Walk

SOLE

PU/PU Dual-Density

**TOE CAP** 

Steel toe cap

MIDSOLE

Steel Plate

NORM

S1 / S1P SR





OAC-1000 UYC-1000

**UPPER** 

Suede Leather

LINING

3D Air-Lining

**REMOVABLE INSOLE** 

Soft – Walk

SOLE

PU/PU Dual-Density

**TOE CAP** 

Steel toe cap

**MIDSOLE** 

Steel Plate

NORM

S1/S1PSR

**UPPER** 

Split Barton Leather

LINING

3D Air-Lining

**REMOVABLE INSOLE** 

Soft – Walk

SOLE

PU/PU Dual-Density

**TOE CAP** 

Steel toe cap

**MIDSOLE** 

Steel Plate

NORM

S2/S3 SR